



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

The Mockingbird of St. Thomas, West Indies.—Mr. Ridgway recorded *Mimus gilvus* from St. Thomas in the 'Proceedings of the U. S. Nat. Museum,' Vol. 7, 1884, p. 172. This record was based on one specimen, part of a small collection of birds made by Messrs. Benedict and Nye from January 17–24, 1884, during a trip of the U. S. Fish Commission Steamer "Albatross." In 1889 Mr. Charles B. Cory in his 'Birds of the West Indies,' (p. 35) says of *Mimus gilvus*: "Common in St. Vincent, Grenada, Santa Lucia, and St. Thomas." Subsequently Martinique and Nevis were added to its range in the Lesser Antilles. The commonness of the species on the islands of the Lesser Antilles mentioned above seems well attested by the synonymy given by Mr. Ridgway in his 'Birds of North and Middle America,' Part IV, p. 235, but I am unable to find any but the reference given above for the capture of a specimen on St. Thomas, so that the statement that it is common on that island would certainly seem to require confirmation.

In August and September, 1916, Mr. Rollo H. Beck collected on St. Thomas for Mr. Frederick F. Brewster and Dr. L. C. Sanford. The land birds obtained have been generously presented to the American Museum, and in identifying and distributing them I came across a series of Mockingbirds, including 3 young of the year, which are most certainly *Mimus polyglottos orpheus* (L.). St. Thomas is part of the Greater Antilles as far as its avifauna is concerned, so that a race of *polyglottos* is the logical Mockingbird to occur on the island.

The probability of *M. gilvus* occurring there also is in my opinion remote. Mr. Ridgway has called attention to the fact that it is not certain whether the Lesser Antillean *gilvus* is the typical Guiana form or not, but if it is it would be reasonable to suppose that it was introduced, as a distinct form occupies an intermediate island. Even if it should prove to be a distinct form, its occurrence on St. Thomas would not be rendered more probable. So I wrote to Dr. Charles W. Richmond of the National Museum for such information about the specimen of *M. gilvus* from there as he might be able to give me. He has kindly replied in detail. The specimen is correctly identified, but "does not bear an original label, and the data is written in a hand that I recognize as one of Mr. Ridgway's early assistants, so there is a possibility that the bird came over here without a label, or with a lot that came chiefly from St. Thomas, but I cannot find anything to support this suspicion further. If you have to deal with this record in print, I think it would be well to question it as uncertain."—LUDLOW GRISCOM, *American Museum of Natural History, New York City.*

Coereba bahamensis at Miami, Fla.—At the bathing beach, Miami, Florida, February 7, 1921, I was trying to locate the author of an unfamiliar warbler-like chipping note in a cocoanut tree when a *Coereba bahamensis* came into full view for a moment at the base of the palm fronds, before it flew.